



Personnel
1300 Sawgrass Corporate Parkway, #100 • Sunrise, FL 33323 • Phone: 954.838.4522

QUALITY ASSURANCE/QUALITY CONTROL

- DATE: July 24, 2003 (amended October 5, 2004)
- SALARY: \$38,891 - \$53,611
- NATURE OF WORK: This is advanced scientific and technical laboratory work involving quality assurance and quality control in conducting chemical and biological examination of water and wastewater.
- HOURS: Monday – Friday; 6:00 A.M. – 2:00 P.M.
- WORKSITE LOCATION: Utilities Department – Administration Building
777 Sawgrass Corporate Parkway, Sunrise
- EDUCATION: Graduation from an accredited college or university with a Bachelor's Degree in Engineering, Biology, Chemistry or a closely related field.
- EXPERIENCE: -- Five (5) years of progressively responsible experience in advanced scientific and technical laboratory work involving quality assurance and quality control in conducting chemical and biological examination.
-- Experience in water and wastewater is preferred.
- SPECIAL REQUIREMENT: -- Possession of a valid driver's license and a good driving record.
- CLOSING DATE: Open until filled.
- HOW TO APPLY: Please submit a completed City of Sunrise Employment Application and proof of education to the Personnel Dept.

It shall be the policy of the City of Sunrise to hire well-qualified persons to perform the many tasks necessary in providing the services the City is called upon to render. An integral part of this policy is to provide equal employment opportunity for all persons for employment and to recruit and administer hiring, working conditions, benefits and privileges of employment, compensation, training, appointments for advancement, including upgrading and promotions, transfers, and terminations of employment including layoffs and recalls for all employees without discrimination because of race, color, religion, national origin, sex, marital status, sexual orientation, age or physical or mental disabilities who are qualified for the jobs they are seeking.

EQUAL OPPORTUNITY EMPLOYER - M/F/D/V